



IVC 60/24-2 Tact²

Compact industrial vacuum with large wheels and braking rollers for optimal mobility. With TACT² automatic filter cleaning system for long operating times without interruption.



1 Automatic Filter Cleaning System Tact²

- The filter automatically cleans itself with targeted, powerful blasts of air. The procedure is triggered automatically whilst maintaining constant high suction power. Further benefits: low maintenance costs, long filter service life.
- Filter designed to allow uninterrupted use with constant high suction power.

2 2 blower motors

- Powerful cleaning performance with 2 blowers. Electronically controlled motors avoid high starting currents.

3 Waste container with set-down mechanism

- The waste container with set-down mechanism ensures ergonomic emptying, even when the vacuumed waste is heavy.

4 With compact flat pleated filter

- The compact flat pleated filter allows a large filter area with a small and clear design.



IVC 60/24-2 Tact²

- Anti-static equipment
- Liquid cut-off
- Integrated cyclone for pre-separation system

Technical data


Order no.	1.576-100.0	
EAN code	4039784463691	
Current type	Ph / V / Hz	1 / 220-240 / 50-60
Air flow rate	l/s / m³/h	148 / 532
Vacuum	mbar / kPa	254 / 25.4
Container capacity	l	60
Rated input power / Amps	kW	2.4
Filter area	m²	0.95
Nominal diameter of connection	ID 70	
Nominal diameter of accessory	ID 50 / ID 40	
Sound pressure level	dB(A)	73
Dimensions (L × W × H)	mm	970 × 690 × 995

Equipment

Accessories in scope of delivery	No
---	----

IVC 60/24-2 TACT²

1.576-100.0



		Order no.	Quantity	ID	Length	Width	Price	Description	
Flat pleated filter, paper									
Flat pleated filter, paper	1	6.907-276.0	1 piece(s)					Flat pleated filter dust class M, nano-coated paper. Suitable for fine dust and dry dirt pick up.	<input type="checkbox"/>
Flat pleated filter, PTFE									
Flat pleated filter, PTFE	2	6.907-449.0	1 piece(s)					Polyester fleece with PTFE coating, dust class M, for Tact ² vacuum cleaners. Particularly suitable for very adhesive materials.	<input type="checkbox"/>

Available accessories.