



## B 150 R Bp

Ideal for medium-sized areas of between 2500 and 6000 m<sup>2</sup>, compact and battery-powered ride-on scrubber drier B 150 R Bp with disc or roller brush technique.

### 1 Configurable device

- Equipment details can be freely selected.
- Perfect matching of the machine to the cleaning requirements.

### 2 Innovative KIK key system

- Greater protection from incorrect operation.
- Lower service costs.

### 3 Auto-Fill (optional)

- Automatic fresh water tank filling.
- Connect the fresh water hose and the filling process stops automatically when the tank is full.

### 4 Choice of four batteries

- Battery types: maintenance-free or low-maintenance with 36 V/180 Ah, maintenance-free or low-maintenance with 36 V/240 Ah.



## B 150 R Bp

### Technical data

Order no.	2.246-001.0	
EAN code	4039784828681	
Brush working width	mm	750
Working width, vacuuming	mm	960
Fresh/dirty water tank	l	150 / 150
Theoretical area performance	m <sup>2</sup> /h	5400
Battery voltage	V	36
Rated input power / Amps	W	up to 2800
Weight (with accessories)	kg	435
Dimensions (L × W × H)	mm	1660 × 1400

### Equipment

Powerful traction drive	■
Automatic water stop	■
Dose	-
2-tank system	■

■ Included in the scope of supply.

# B 150 R BP

## 2.246-001.0




		Order no.	Quantity	Battery voltage	Battery capacity	Battery type	Price	Description	
<b>Batteries</b>									
Battery kit	1	2.815-107.0	1 -part	36 V	240 Ah			Low-maintenance wet battery in trough. Voltage 36 V, capacity 240 Ah (C5).	<input type="checkbox"/>
	2	2.815-106.0	1 -part	36 V	180 Ah			Low-maintenance wet battery in trough. Voltage 36 V, capacity 180 Ah (C5).	<input type="checkbox"/>
	3	2.815-105.0	6 -part	36 V	240 Ah	Maintenance-free		Battery kit with 36 V voltage and 240 Ah (C5) capacity. Comprising several maintenance-free single gel batteries.	<input type="checkbox"/>
	4	2.815-104.0	6 -part	36 V	180 Ah	Maintenance-free		Battery kit with 36 V voltage and 180 Ah (C5) capacity. Comprising several maintenance-free single gel batteries.	<input type="checkbox"/>
	5	2.815-114.0	6 -part	36 V	285 Ah	Maintenance-free		Battery kit with 36 V voltage and 285 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.	<input type="checkbox"/>
<b>Accessories for batteries</b>									
Battery mounting kit	6	2.638-032.0	2 -part					Installation kit for installing battery kit in a machine. Incl. 2 brackets.	<input type="checkbox"/>
	7	2.638-136.0	7 -part					Installation kit for installing battery kit in a machine. Incl. 2 brackets and 5 connection cables.	<input type="checkbox"/>
	8	2.638-143.0	7 -part					Installation kit for installing battery kit in a machine. Incl. 5 connection cables and 2 brackets.	<input type="checkbox"/>
	9	2.638-161.0	5 -part					Installation kit for installing battery kit in a machine. Incl. 5 connection cables.	<input type="checkbox"/>
Box with wall holder	10	2.641-243.0	1 piece(s)					Supply system for charging wet batteries, the batteries can be filled easily, time saving. Mount the box 4 meters high.	<input type="checkbox"/>
Box	11	2.641-244.0	1 piece(s)						<input type="checkbox"/>

Available accessories.

# B 150 R BP

## 2.246-001.0




		Order no.	Hardness / Brush type	Length	Colour	Quantity	Price	Description	
<b>Roller brushes</b>									
Roller brush	1	6.906-989.0	soft	800 mm	White	1 piece(s)		Roller brush, very soft, white. Length: 800 mm. With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long.	<input type="checkbox"/>
	2	6.906-990.0	high / low	800 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints.	<input type="checkbox"/>
	3	6.906-991.0	hard	800 mm	green	1 piece(s)		Roller brush, hard, green. Length: 800 mm. Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	<input type="checkbox"/>
	4	6.906-992.0	very hard	800 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning, for unsensitive surfaces only.	<input type="checkbox"/>
	5	6.906-985.0	soft	700 mm	White	1 piece(s)		Roller brush, very soft, white. Length: 700 mm. With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long.	<input type="checkbox"/>
	6	4.035-190.0	medium	700 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 638 mm. With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.5 mm thick, 20 mm long.	<input type="checkbox"/>
	7	6.906-986.0	high / low	700 mm	orange	1 piece(s)		Roller brush, high/low, medium-hard, orange. Length: 700 mm. With wear-resistant star-wheel mechanism. For cleaning heavily structured floors and deep crevices. Bristles: Polyamide, 0.6 mm thick, 15-20 mm long.	<input type="checkbox"/>
	8	6.906-987.0	hard	700 mm	green	1 piece(s)		Roller brush, hard, green. Length: 700 mm. Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	<input type="checkbox"/>
	9	6.906-988.0	very hard	700 mm	black	1 piece(s)		Very hard, for extremely sticky dirt and for deep cleaning, for unsensitive surfaces only.	<input type="checkbox"/>

Available accessories.

# B 150 R BP

## 2.246-001.0



		Order no.	Hardness / Brush type	Length	Diame- ter	Colour	Price	Description	
<b>Pad roller shaft</b>									
Pad roller shaft	1	4.762-435.0		800 mm				Pad roller shaft suitable for holding roller pads or microfibre rollers.	<input type="checkbox"/>
	2	4.762-434.0		700 mm				fits R 75	<input type="checkbox"/>
<b>Roller pads</b>									
Roller pad	3	6.369-454.0	soft		105 mm	yellow		Roller pads (x20) soft, yellow. For polishing and cleaning non-structured floors. Suitable for use with appropriate pad roller shaft.	<input type="checkbox"/>
	4	6.369-456.0	medium		105 mm	red		Roller pads (x20), medium, red. For cleaning non-structured floors. Suitable for use with appropriate pad roller shaft. About 7 to 7.5 pads are required per 10 cm shaft length.	<input type="checkbox"/>
	5	6.369-455.0	hard		105 mm	green		Roller pads (x20), hard, green. For removing stubborn dirt and basic cleaning of non-structured floors. Suitable for use with appropriate pad roller shaft.	<input type="checkbox"/>
<b>Microfibre shaft</b>									
Microfibre roller	6	4.114-008.0	microfibre	800 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-435.0. Fits on R 90.	<input type="checkbox"/>
	7	4.114-007.0	microfibre	700 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-434.0. Fits on R 75.	<input type="checkbox"/>

Available accessories.

# B 150 R BP

## 2.246-001.0




		Order no.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
<b>Disc brushes</b>									
Disc brush	1	4.905-005.0	very soft	450 mm	White	1 piece(s)		Very soft, for cleaning sensitive surfaces and for polishing.	<input type="checkbox"/>
	2	4.905-004.0	soft	450 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing.	<input type="checkbox"/>
	3	4.905-003.0	medium	450 mm	red	1 piece(s)		Disc brush, medium-hard, red, 450 mm diameter. For normal use. Also suitable for sensitive floors. Bristles: Polypropylene, 0.6 mm thick, 40 mm long.	<input type="checkbox"/>
	4	4.905-006.0	hard	450 mm	black	1 piece(s)		Disc brush, hard, black, 450 mm diameter. For stubborn dirt and basic cleaning. Only for insensitive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.	<input type="checkbox"/>
	5	4.905-019.0	very soft	385 mm	White	1 piece(s)		Very soft, for cleaning sensitive surfaces and for polishing.	<input type="checkbox"/>
	6	4.905-020.0	soft	385 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing.	<input type="checkbox"/>
	7	4.905-018.0	medium	385 mm	red	1 piece(s)		Medium-hard disc brush (385 mm) in red version for all conventional cleaning applications. Also suitable for sensitive floors.	<input type="checkbox"/>
	8	4.905-021.0	hard	385 mm	black	1 piece(s)		Disc brush, hard, black, 385 mm diameter. For stubborn dirt and basic cleaning. Only for insensitive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.	<input type="checkbox"/>

Available accessories.

# B 150 R BP


## 2.246-001.0



		Order no.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
<b>Microfibre pad</b>									
Microfibre pad	1	6.369-960.0	microfibre	457 mm	White	5 piece(s)		5 microfibre pads, white With centre hole, 381 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 75, BD 75/140 R and BD 40/25 C.	<input type="checkbox"/>
	2	6.371-078.0	microfibre	381 mm	White	5 piece(s)			<input type="checkbox"/>
<b>Pads</b>									
Pad	3	6.369-024.0	medium-soft	457 mm	red	5 piece(s)		5 pads, medium-soft, red, 457 mm diameter. For cleaning all floors. Suitable for, e.g. D 90.	<input type="checkbox"/>
	4	6.369-023.0	medium-hard	457 mm	green	5 piece(s)		5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 90.	<input type="checkbox"/>
	5	6.369-022.0	hard	457 mm	black	5 piece(s)		5 pads, hard, black, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 90.	<input type="checkbox"/>
	6	6.369-791.0	medium-soft	381 mm	red	5 piece(s)		5 pads, medium-soft, red, 381 mm diameter. For cleaning all floors. Suitable for, e.g. D 75.	<input type="checkbox"/>
	7	6.369-790.0	medium-hard	381 mm	green	5 piece(s)		5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.	<input type="checkbox"/>
	8	6.369-789.0	hard	381 mm	black	5 piece(s)		5 pads, hard, black, 381 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.	<input type="checkbox"/>
<b>Pad drive board</b>									
Pad drive board	9	4.762-493.0		445 mm		1 piece(s)		Fits on D 90. For cleaning with pads. With quick-changing coupling and center lock.	<input type="checkbox"/>
	10	4.762-447.0		375 mm		1 piece(s)		Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 75.	<input type="checkbox"/>
<b>Diamond pad</b>									
Diamond pad	11	6.371-258.0	coarse	457 mm	White	5 piece(s)		For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	<input type="checkbox"/>
	12	6.371-259.0	medium	457 mm	yellow	5 piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>
	13	6.371-239.0	fine	457 mm	green	5 piece(s)		For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>
	14	6.371-252.0	coarse	385 mm	White	5 piece(s)		For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	<input type="checkbox"/>
	15	6.371-253.0	medium	385 mm	yellow	5 piece(s)		For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>
	16	6.371-236.0	fine	385 mm	green	5 piece(s)		For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	<input type="checkbox"/>

Available accessories.

# B 150 R BP 2.246-001.0



		Order no.	Length	Colour	Quantity	Price	Description	
<b>Squeegee, complete</b>								
V-squeegee	1	4.777-078.0	1200 mm	transparent	1 piece(s)		V-shaped squeegee with length of 1,200 mm and adjustable support rollers. Oil-resistant, fluted suction lips made from robust polyurethane for all conventional floors. Special sliding properties on crevices.	<input type="checkbox"/>
Squeegee, straight	2	4.777-403.0	1060 mm	transparent	1 piece(s)		Straight, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	<input type="checkbox"/>
V-squeegee	3	4.777-081.0	1100 mm	transparent	1 piece(s)		With adjustable support rollers and spirit level for precise adjustment: V-shaped squeegee, 1,100 mm long. Suction lips made from robust, oil-resistant and transparent polyurethane.	<input type="checkbox"/>
Squeegee, straight	4	4.777-402.0	940 mm	transparent	1 piece(s)		Straight, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	<input type="checkbox"/>
Squeegee, curved	5	4.777-413.0	1060 mm	transparent	1 piece(s)		Curved, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	<input type="checkbox"/>
	6	4.777-412.0	940 mm	transparent	1 piece(s)			<input type="checkbox"/>
<b>Squeegees for suction bars</b>								
Suction lips for V-squeegee	7	6.273-016.0	1334 mm	transparent	2 -part		Fluted suction lip set for all conventional floors. Made from oil-resistant, transparent polyurethane with a long lifetime and specially developed for V-shaped, 1,200 mm-long squeegees.	<input type="checkbox"/>
	8	6.273-025.0	1222 mm	transparent	2 -part		Suction lip set made from robust, transparent polyurethane with fluted structure for V-shaped squeegees with length of 1,100 mm. Impressive sliding properties on all floors.	<input type="checkbox"/>
Suction lips	9	6.273-209.0	1080 mm	transparent	2 -part		Standard, grooved, oil-resistant.	<input type="checkbox"/>
	10	6.273-206.0	1080 mm	transparent	2 -part		Slotted, oil-resistant.	<input type="checkbox"/>
	11	6.273-215.0	1080 mm	blue	2 -part		Grooved, natural rubber.	<input type="checkbox"/>
	12	6.273-208.0	960 mm	transparent	2 -part		Standard, grooved, oil-resistant.	<input type="checkbox"/>
	13	6.273-205.0	960 mm	transparent	2 -part		Slotted, oil-resistant, for sensitive floors.	<input type="checkbox"/>
	14	6.273-214.0	960 mm	blue	2 -part		Grooved, natural rubber.	<input type="checkbox"/>

Available accessories.



# B 150 R BP

## 2.246-001.0

**KÄRCHER**




		Order no.	Length	Colour	Quantity	Price	Description	
<b>Miscellaneous</b>								
Add-on kit ecolzero	1	5.388-133.0			1 piece(s)		With ecolzero for climate-neutral cleaning: as compensation for the CO2 which is produced by using the machine, we support climate protection projects worldwide.	<input type="checkbox"/>
KIK key set, white	2	4.035-064.0		White	5 piece(s)		5 white keys with keychain. Each key can be individually preset using the grey key supplied with the machine. This means that the machine parameters are always the same. The keychain helps to identify the key. This allows parameters to be set for cleaning in summer or winter, in sunshine or rain, on sensitive and hard-wearing floors or in workshops and showrooms.	<input type="checkbox"/>
ABS brush head impact protection	3	2.034-000.0					Extremely robust and stable impact protection for protecting the brush head when driving close to walls or corners, or in the event of unexpected obstacles.	<input type="checkbox"/>
Cover dirty water tank complete	4	4.035-512.0			1 piece(s)			<input type="checkbox"/>
Cover tank flushing system complete	5	4.035-513.0			1 piece(s)			<input type="checkbox"/>
<b>Home Base accessories</b>								
Home Base Mop Holder Kit	6	4.035-514.0			1 piece(s)		Holder fits on machine for convenient mop storage.	<input type="checkbox"/>
Universal hook kit	7	4.070-075.0			1 piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	<input type="checkbox"/>
Manual rinsing system	8	4.035-515.0			1 piece(s)		Allows the tank to be rinsed using the on-board fresh water. Includes hose, spray nozzle and hose hanger.	<input type="checkbox"/>

Available accessories.

# B 150 R BP

## 2.246-001.0



		Order no.					Price	Description	
<b>Brush heads</b>									
Brush head R 90 S	1	2.763-007.0						Brush head with two roller brushes and 90 cm working width. Brush replacement without tools. The side skirts are height-adjustable and hold the water under the brush head. This allows the cleaning fleet to be fed into the vacuum bar at an optimum rate, even when negotiating curves. Brush head supplied separately.	<input type="checkbox"/>
Brush head R 75 S	2	2.763-006.0						Brush-head with 2 roller brushes and a working width of 75 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	<input type="checkbox"/>
Brush head D 90 S	3	2.763-008.0						Brush head with 2 disc brushes, brush quick changeover system, 90 cm working width and height adjustable side guards.	<input type="checkbox"/>
D 75 S brush head	4	2.763-005.0						Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	<input type="checkbox"/>

Available accessories.

# B 150 R BP

## 2.246-001.0



		Order no.	Length	Diameter	Quantity	Price	Description	
<b>Spray extraction mounting kit</b>								
Spray suction attachment kit	1	2.642-058.0			1 piece(s)		Simplifies cleaning areas inaccessible for machines.	<input type="checkbox"/>
<b>Other attachment kits</b>								
Flashing beacon	2	4.035-516.0			1 piece(s)		Increases safety at work.	<input type="checkbox"/>
Auto-Fill	3	4.035-345.0			1 piece(s)		Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow.	<input type="checkbox"/>

Available accessories.

# B 150 R BP

## 2.246-001.0



		Order no.	Quantity	ID	Width	Length	Price	Description	
<b>Other</b>									
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base Rail.	<input type="checkbox"/>

Available accessories.

# B 150 R BP 2.246-001.0



		Order no.	Installation ex works	Length / width	Diame-ter	Price	Description	
<b>Standard side brushes</b>								
Standard side brushes	1	6.951-073.0			390 mm		Standard side brush with moisture-proof universal bristles and long service life. Suitable for all surfaces.	<input type="checkbox"/>

Available accessories.